

Wall Tile Collection

300 x 450 mm

300 x 300 mm



C 002 L



1002 L



C 002 HL



1002 HL



C 002 D



C 002 FL



1002 FL



1002 D



1004 L



1009 L



1004 HL



1009 HL



1004 D



1004 FL



1009 FL



1009 D



1010 L



1010 HL



1010 D



1010 FL



1011 L



1011 HL



1011 FL



1011 D



1021 L



1021 HL



1021 D



1021 FL



1026 L



1026 HL



1026 FL



1026 D



1027 HL 1



1027 HL 2



1027 FL



1028 L



1028 HL



1027 D



1027 FL



1028 FL



1028 D



1029 L



1029 HL



1029 FL



1030 HL



1030 HL



1029 D



1029 FL



1030 FL



1030 L



1031 L



1034 L



1031 HL



1034 HL



1031 D



1031 FL



1034 FL



1034 D



1035 L



1036 L



1035 HL



1036 HL



1035 D



1035 FL



1036 FL



1036 D



1120 L



1120 HL



1122 L



1122 HL



1120 D



1120 FL




1122 FL



1122 D



1123 L



1123 HL



1981 L



1981 HL



1123 D



1123 FL



1981 FL



1981 D



1982 HL



1982 HL



1983 L 1



1983 HL



1982 D



1982 FL



1983 FL



1983 D



1984 L



2211 HL



1984 HL



2211 HL



1984 D



1984 FL



2211 FL



2211 L



2292 L



2292 HL



2292 D



2292 FL



2301 FL



2301 L




2301 HL



2301 D



2337 L



2337 HL



2337 D



2337 FL



2346 FL



2346 L



2346 HL



2346 D



FINISHES

SIZES

THICKNESS


APPLICATION

GLOSSY | MATT

300X450 MM
300X300 MM

8 MM

WALL | FLOOR



1115 L




1115 HL



1115 D



1115 FL



1038 L




1038 FL



1038 HL



1038 D



EL 100



EL 102


Elevation



EL 103



EL 104



Technical Specification

No.	Characteristics	Specification	Naveen Value
Dimension & surface Quality			
01	Deviation in Length & Width	±0.2%	± 0.2%
02	Deviation in Thickness	±4.0%	±4.0%
03	Straightness of Sides	±0.15%	±0.15%
04	Rectangularity	±0.15%	±0.15%
05	Surface Flatness	±0.22%	±0.22%
06	Surface Quality	Min95%	Min95%

Physical Properties			
07	Water Absorption	≥10%	≥10%(MAX 18%)
08	Modulus of Rupture	15N/mm ²	≥15N/mm ²
09	Breaking Strength	500N	≥500N
10	Scratch(moh's)Hardness	Min 3	Min3
11	Moisture Expansion	0.04%	<0.04%
12	Crazing	4 Cycle	≥4 Cycle

Thermal Properties			
13	Thermal Expansion	Max9.0x 10 ⁶ K ⁻¹	Max8.0x 10 ⁶ K ⁻¹
14	Thermal Shock	10Cycle	Min.10Cycle

Chemical Properties			
15	Household Chemicals	ClassAA	Conform
16	Staining Resistance	Class 1	Conform

Packing Details			
No.	Size	300x450mm	300x300mm
01	Thickness(mm)Approx	8.5	8
02	Weight Per Box. (Kgs.) Approx	12.5	12.5
03	No. of Tiles Per Box	6	9
04	Sq.Mtr.Per Box	0.82	0.82

GENERAL NOTE : All Technical Specification in this Catalogue are for Premium Grade material only.

CLEANING & MAINTENANCE

Our products are non porous (due to their high quality raw materials, stringent production parameters and state of the art technology), hence any dust or deposited waste cannot penetrate the surface.

For most cases only a damp cloth is sufficient for cleaning.

Regular cleaning highlights the aesthetic features of the surface and gives it exceptional shine.

For highly aggressive cleaning caused by some common food and substances follow the table below.

TYPE OF STAIN	CHEMICAL PRODUCT	EXAMPLE
Grease	Alkaline - Solvent	Detergent
Oil	Solvent	Ammonia Baking Soda
Lime	Acid	Descaling Reagent, Hydro Chloric Acid
Rust	Acid	Hydrochloric Acid, Vinegar, Red Harpic
Ink	Oxidant - Solvent	Alcohol, Liquid Bleach, Nail paint Remover
Cement	Acid	Hydrochloric Acid
Wine	Alkaline	Ammonia Liquid Bleach
Coffee	Alkaline - Solvent	Ammonia Liquid Bleach
Rubber	Solvent	Alcohol thinner
Plaster	Acid	Hydrochloric Acid
Candle Wax	Solvent	Alcohol thinner
Iodine	Oxidant	Liquid Bleach
Blood	Oxidant	Liquid Bleach
Ice Cream	Alkaline	Liquid Bleach



MURUDESHWAR CERAMICS LTD.

Registered Office & Plants'

"Murudeshwar Bhavan", Gokul road, Hubli - 580 030

Phone: 0836 2331615/18

Mail: projects@naveentile.com

UNIT - 1

Krishnapur village, Old Hubli, Hubli - 580 024

Phone: 0836-2209113 / 15, 2205428, 2206741

Fax: 0836-2206773,

UNIT - 2

143, Illayanacudy Road, Devampuram village Thirunallur Panchayat, Karaikal-609 607

Phone: 04368 - 236899, Fax: 04368 - 222625,

UNIT - 2

Survey No. 139 and 141/1 Huildore village, Bukkapatna Hobli, Taluk: Sira Dist: Tumkur



www.naveentile.com